

Passendro New Drill Intercepts – November 22, 2005

Hole No.	Total Depth (m)	East Co-ord	North Co-ord	Azim. (deg)	Declin. (deg)	From (m)	To (m)	Interval (m)	Grade (g/t Au)
Katsia East									
PRC859	40.00	990	2640	079	-50	5.00	25.00	20.00	6.2
					incl	16.00	25.00	9.00	13.0
PRC862	50.00	1163	2560	079	-70	11.00	21.00	10.00	36.0
					and	31.00	49.00	18.00	3.2
					incl	31.00	37.00	6.00	7.3
PRC863	60.00	1160	2620	079	-70	16.00	18.00	2.00	5.6
					and	28.00	38.00	10.00	4.2
					and	44.00	46.00	2.00	26.3
Katsia West									
PRC867	40.00	980	2000	079	-50	0	8.00	8.00	9.5
PDC170	94.65	927	1915	079	-70	46.80	48.15	1.35	1.2
					and	60.15	61.65	1.50	1.4
PDC241	90.60	945	2000	079	-65	44.10	45.60	1.50	5.8
					and	50.10	51.50	1.40	11.1
Katsia South									
PDC241				079	and	83.10	87.60	4.50	17.1
					and	89.10	90.60	1.50	5.6
PDC244	113.15	903	2000	079	-65	33.65	38.15	4.50	3.9
PRC406	40.00	1045	1880	079	-50	13.00	16.00	3.00	1.7
PRC420	60.00	1020	1920	079	-50	9.00	17.00	8.00	3.1
					and	37.00	39.00	2.00	1.0
Bateleur									
PRC1229	40.00	9800	9320	036	-50	25.00	29.00	4.00	1.3
PRC1191	40.00	9820	9360		-50	15.00	25.00	10.00	4.3
Baceta									
PDC035	97.90	8665	10800	036	-65	66.65	69.40	2.75	4.5
PDC132	73.50	8680	10840	036	-60	48.00	63.00	15.00	2.5
PDC133	117.00	8625	10840	036	-60	88.50	91.50	3.00	1.4

					and	94.50	100.50	6.00	1.5
PDC134	73.50	8655	10760	036	-60	64.50	67.50	3.00	2.2
PDC135	69.00	8680	10800	036	-60	60.00	66.00	6.002	1.6
PDC152	71.85	8664	10680	036	-90	36.15	37.65	1.502	5.0
PDC153	81.00	8685	10760	036	-60	36.20	40.50	4.30	3.4
					and	46.50	48.00	1.50	4.4
PDC154	102.00	8655	10880	036	-70	63.00	64.50	1.502	1.4
					and	79.50	85.50	6.002	5.6
PRC282	30.00	8720	10720	036	-50	10.00	11.00	1.00	1.1
PRC284	30.00	8720	10800	036	-50	10.00	22.00	12.00	2.1
PRC285	30.00	8700	10800	036	-50	21.00	29.00	8.00	1.8
PRC286	30.00	8740	10800	036	-50	10.00	12.00	2.00	3.3
					and	14.00	15.00	1.00	2.5
PRC287	30.00	8700	10720	036	-50	15.00	24.00	9.00	4.0
					incl	17.00	21.00	4.00	8.3
PRC431	40.00	8700	10840	036	-50	25.00	34.00	9.00	4.1
					and	37.00	39.00	2.00	1.7
PRC432	40.00	8720	10840	036	-50	12.00	19.00	7.00	2.4
PRC433	40.00	8740	10840	036	-50	8.00	9.00	1.00	4.8
PRC434	40.00	8760	10840	036	-50	33.00	39.00	6.00	1.9
PRC436	40.00	8700	10760	036	-50	21.00	25.00	4.00	3.0

Hole No.	Total Depth (m)	East Co-ord*	North Co-ord*	Azim. (deg)	Declin. (deg)	From (m)	To (m)	Interval (m)	Grade (g/t Au)
Baceta cont'd									
PRC437	40.00	8740	10760	036	-50	7.00	10.00	3.00	2.0
					and	28.00	40.00	12.001	2.0
PRC438	40.00	8720	10760	036	-50	11.00	24.00	13.00	1.2
PRC443	39.00	8700	10680	036	-50	11.00	13.00	2.00	1.1
PRC448	40.00	8660	10680	036	-50	29.00	32.00	3.00	1.8
PRC744	40.00	8760	10880	036	-50	36.00	38.00	2.00	7.0
PRC747	40.00	8860	10800	036	-50	20.00	25.00	5.00	1.4
PRC752	40.00	8880	10720	036	-50	11.00	12.00	1.00	1.8
PRC753	40.00	8840	10720	036	-50	30.00	32.00	2.00	1.7

PRC755	40.00	8860	10680	036	-50	35.00	40.00	5.00	2.1
PRC757	40.00	8900	10640	036	-50	5.00	12.00	7.00	2.0
PRC758	40.00	8880	10640	036	-50	22.00	23.00	1.00	2.3
PRC825	50.00	8880	10720	036	-70	35.00	37.00	2.00	1.3
PRC826	50.00	8670	10720	036	-70	37.00	38.00	1.00	4.2
Barbacoa									
PDC246	101.10	9197	8400	036	-65	66.60	74.10	7.5	5.0
					and	93.60	95.10	1.50	4.9
PRC1267	40.00	8000	9525	036	-50	23.00	25.00	2.00	2.1
PRC1263	40.00	8080	9440	036	-50	0	1.00	1.00	2.3
PRC1262	40.00	8080	9460	036	-50	23.00	24.00	1.00	1.3
PRC1302	40.00	8180	9240	036	-50	35.00	40.00	5.00	1.1
PRC1301	40.00	8180	9260	036	-50	24.00	25.00	1.00	1.4
PRC1305	40.00	8180	9280	036	-50	5.00	6.00	1.00	1.8
PDC231	92.10	8200	9225	036	-65	59.10	62.10	3.002	4.3
PRC1300	50.00	8200	9250	036	-70	36.00	43.00	7.00	1.6
PRC1238	40.00	8200	9260	036	-50	15.00	16.00	1.00	2.8
PRC1241	40.00	8200	9380	036	-50	4.00	5.00	1.00	4.0
PRC1244	40.00	8200	9460	036	-50	25.00	27.00	2.00	1.1
PRC1243	40.00	8200	9500	036	-50	20.00	21.00	1.00	1.8
PDC162	100.80	8200	9520	036	-65	28.80	30.30	1.50	1.8
PRC1299	40.00	8240	9280	036	-50	10.00	16.00	6.00	2.6
					incl	12.00	13.00	1.00	11.7
					and	23.00	24.00	1.00	1.1
PRC1247	40.00	8240	9380	036	-50	19.00	20.00	1.00	15.4
PRC1311	40.00	8240	9480	036	-50	28.00	29.00	1.00	1.3
					and	37.00	39.00	2.00	1.2
PRC1297	50.00	8280	9285	036	-70	33.00	42.00	9.00	10.4
					incl	35.00	37.00	2.00	43.4
PRC1298	39.00	8280	9370	036	-70	19.00	21.00	2.00	1.1
PRC1251	40.00	8280	9380	036	-50	0	1.00	1.00	1.6
					and	18.00	19.00	1.00	2.3
PRC1307	50.00	8280	9380	036	-70	19.00	20.00	1.00	2.0
PRC1296	50.00	8320	9270	036	-70	21.00	23.00	2.00	1.4
PRC332	30.00	8320	9270	036	-50	25.00	27.00	2.00	8.7

PRC234	101.10	8320	9288	036	-65	35.10	36.60	1.50	1.0
					and	62.10	63.60	1.502	24.6
					and	66.60	68.10	1.50	1.3
PRC1295	50.00	8320	9315	036	-70	30.00	34.00	4.00	2.1
					and	43.00	48.00	5.00	1.9
PRC1271	40.00	8320	9340	036	-50	17.00	18.00	1.00	2.8

Hole No.	Total Depth (m)	East Co-ord*	North Co-ord*	Azim. (deg)	Declin. (deg)	From (m)	To (m)	Interval (m)	Grade (g/t Au)
Barbacoa cont'd									
PRC235	111.05	8360	9233	036	-65	15.65	17.15	1.50	1.2
					and	18.65	20.15	1.50	2.7
PRC1278	35.00	8360	9233	036	-50	11.00	15.00	4.00	11.7
					and	17.00	18.00	1.00	4.8
PRC340	30.00	8360	9260	036	-50	2.00	4.00	2.00	9.0
PRC1277	40.00	8360	9265	036	-50	5.00	6.00	1.00	2.5
					and	15.00	29.00	14.00	1.4
PRC1276	40.00	8360	9285	036	-50	3.00	4.00	1.00	2.9
					and	30.00	37.00	7.00	1.1
PRC232	99.60	8360	9288	036	-65	57.60	59.10	1.50	2.3
					and	69.60	71.10	1.50	6.4
					and	84.60	86.10	1.50	30.4
PRC1275	40.00	8360	9305	036	-50	7.00	15.00	8.00	3.1
					and	21.00	25.00	4.00	1.9
					and	37.00	38.00	1.00	1.0
					and	39.00	40.00	1.001	5.8
PRC1279	40.00	8360	9325	036	-50	19.00	24.00	5.00	2.8
					and	34.00	35.00	1.00	6.9
PRC1273	40.00	8360	9385	036	-50	9.00	10.00	1.00	1.4
PRC338	30.00	8412	9240	036	-50	29.00	30.00	1.00	1.6
PDC233	77.10	8412	9244	036	-50	20.10	32.10	12.00	2.8
					and	29.10	30.60	1.50	6.0
					and	51.60	56.10	4.50	1.8

					and	54.60	56.10	1.50	3.3
PRC1294	50.00	8412	9250	036	-70	18.00	29.00	11.00	2.5
					and	37.00	38.00	1.00	1.0
PRC331	30.00	8412	9260	036	-50	10.00	18.00	8.00	5.1
					incl	15.00	17.00	2.00	11.6
PRC337	30.00	8412	9280	036	-50	14.00	15.00	1.00	1.0
PRC330	30.00	8412	9292	036	-50	6.00	7.00	1.00	1.2

1- borehole ended in mineralisation.

2- poor recovery through mineralised zone.